APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

eturned to applicant for correction	the state of the s
	Map filed 8AN 3-1-1967 under 23639
وبسانا أأنا بدحاه ومعانيا أغني فأراد فالبراط أراد	garan and a state of the state
The applicant Sierra Pac	cific Power Company
100 E. Moana Lane, Rer	Ounty of Washoe
ate ofNevada	hereby makes application for permission to change the
point of diversion	
water heretofore appropriated under	Permit #2025l Certificate #5603
Truckee River Decree Cla (Identify existing right by Permit, Certific	aim #567 (North Truckee Ditch) cate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)
	A CONTROL OF THE CONT
	sownier I. Le Tydra. Jakiel
The source of water is Trucke	ee River (Name of stream, lake or other source.)
	(Name of stream, lake or other source.) d. 1.25 c.f.s. not to exceed 63.0 ac. fft.annuall
	(Second feet, acre feet.)
• • • •	cipal and domestic (If for stock state number and kind of animals.)
. The water heretofore used for	Municipal and domestic (If for stock state number and kind of animals.)
	ollowing point in the SE% SE% of Section 10, T.19N.,
. 19 £., M.D.B. & M. at	a point from which the SE corner of said Secti
	Temporary to the second
escribe as being within a 40-acre subdivision of publ	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.)
Describe as being within a 40-acre subdivision of publ 10 bears South 69° 57' 5	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station)
escribe as being within a 40-acre subdivision of public 10 bears South 69° 57' 56. The existing point of diversion is local control of the existing point of diversion is local control of the existing point of diversion is local control of the existing point of diversion is local control of the existing point of diversion is local control of the existing point of the exis	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE NE Section 16, T.19N., R.19E.
escribe as being within a 40-acre subdivision of public 10 bears South 69° 57' 56. The existing point of diversion is lower by the subdivision of public 10 bears South 69° 57' 50' 50' 50' 50' 50' 50' 50' 50' 50' 50	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE4 NE4 Section 16, T.19N., R.19E. which the NE corner of said Section 16 bears. If point of diversion is not changed, do not answer.)
escribe as being within a 40-acre subdivision of public 10 bears South 69° 57' 56. The existing point of diversion is low that a point from the cut of the	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE% NE% Section 16, T.19N., R.19E. which the NE corner of said Section 16 hears if point of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam).
escribe as being within a 40-acre subdivision of public 10 bears South 69° 57' 5 The existing point of diversion is lower to the second of the contract of th	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE4 NE4 Section 16, T.19N., R.19E. which the NE corner of said Section 16 bears. If point of diversion is not changed, do not answer.)
escribe as being within a 40-acre subdivision of public LO bears South 69° 57' 5. The existing point of diversion is lower to be a point from the case of the cas	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE% NE% Section 16, T.19N., R.19E. which the NE corner of said Section 16 hears if point of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam).
escribe as being within a 40-acre subdivision of public 10 bears South 69° 57' 50. The existing point of diversion is lower to the existing point of diversion is lower than 10° 50' 50' 50' 50' 50' 50' 50' 50' 50' 50'	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE% NE% Section 16, T.19N., R.19E. which the NE corner of said Section 16 bears of point of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam). Ons 31. 32, and 33. T.20NR.20EM.D.B. & M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) T.19N., R. 20E., M.D.B. & M.
escribe as being within a 40-acre subdivision of public 10 bears South 69° 57' 50. The existing point of diversion is lower to the existing point of diversion is lower than 10° 50' 50' 50' 50' 50' 50' 50' 50' 50' 50'	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE½ NE½ Section 16, T.19N., R.19E. which the NE corner of said Section 16 hears. If point of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam). Ons 31, 32, and 33, T.20N., R.20E., M.D.B. & M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) T.19N., R.20E., M.D.B. & M. R.19E., M.D.B. & M.
escribe as being within a 40-acre subdivision of public 10 bears South 69° 57' 5. The existing point of diversion is lower to the existing point of diversion is lower the 26° 30' East a distributed by the East a distributed b	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE½ NE½ Section 16, T.19N., R.19E. which the NE corner of said Section 16 hears of point of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam). ons 31, 32, and 33, T.20N., R.20E., M.D.B. & M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) T.19N., R. 20E., M.D.B. & M. R. 19E., M.D.B. & M. 12, 13, 14, 15, 16, 17, 20, 21, 22, 23
escribe as being within a 40-acre subdivision of public 10 bears South 69° 57' 56. The existing point of diversion is lower to the existing point of diversion is lower the 26° 30' East a distribute of use. Sections 4.5.6.7.8. & 9. ections 35. & 36. T.20N. ections 1. 2, 3, 10, 11	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE½ NE½ Section 16, T.19N., R.19E. which the NE corner of said Section 16 bears froint of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam). ons 31, 32, and 33, T.20N., R.20E, M.D.B. & M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) T.19N., R.20E, M.D.B. & M.
escribe as being within a 40-acre subdivision of public 10 bears South 69° 57' 56. The existing point of diversion is lower to the existing point of diversion is lower the 26° 30' East a distributed by the East a distributed b	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE½ NE½ Section 16, T.19N., R.19E. which the NE corner of said Section 16 bears of point of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam). ons 31, 32, and 33, T.20N., R.20E., M.D.B. & M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) T.19N., R. 20E., M.D.B. & M. R. 19E., M.D.B. & M. 12, 13, 14, 15, 16, 17, 20, 21, 22, 23,
escribe as being within a 40-acre subdivision of public 10 bears South 69° 57' 56. The existing point of diversion is low D.B&M. at a point from the certain of the certain and the certain an	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SEN NEW Section 16, T.19N., R.19E. which the NE corner of said Section 16 bears. If point of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam). Ons 31, 32, and 33, T.20N, R.20E, M.D.B. & M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) T.19N, R. 20E, M.D.B. & M. R.19E, M.D.B. & M. R.19E, M.D.B. & M. S. Question 7.
escribe as being within a 40-acre subdivision of public lookears South 69° 57' 50. The existing point of diversion is looked by D.B&M. at a point from the 26° 30' East a distribute of use. Sections 4.5,6.7.8. & 9. ections 4.5,6.7.8. & 9. ections 35. & 36. T. 20N. ections 1, 2, 3, 10, 11. 4, 25, 26, 27, T. 19N.	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE4 NE4 Section 16, T.19N., R.19E. which the NE corner of said Section 16 hears of point of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam). Ons 31. 32, and 33. T.20N. R.20E., M.D.B. & M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) T.19N. R. 20E., M.D.B. & M. R. 19E., M.D.B. & M. 12, 13, 14, 15, 16, 17, 20, 21, 22, 23. R.19E., M.D.B. & M.
escribe as being within a 40-acre subdivision of public 10 bears South 69° 57' 56. The existing point of diversion is low D.B&M. at a point from orth 26° 30' East a distance of use. Sections 4.5,6.7.8. & 9. ections 35. & 36. T. 20N. ections 1. 2, 3, 10, 11. 4. 25, 26, 27, T. 19N.	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SEN NEW Section 16, T.19N., R.19E. which the NE corner of said Section 16 bears if point of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam). Ons 31, 32, and 33, T.20N, R.20E, M.D.B. & M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) T.19N, R. 20E, M.D.B. & M. R.19E, M.D.B. & M. R.19E, M.D.B. & M. S. Question 7.
escribe as being within a 40-acre subdivision of publ 10 bears South 69° 57' 56. The existing point of diversion is low D.B&M. at a point from the court of the c	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SEN NEW Section 16, T.19N., R.19E. which the NE corner of said Section 16 hears. If point of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam). Ons 31, 32, and 33, T.20N, R.20E, M.D.B. & M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) T.19N, R. 20E, M.D.B. & M. R.19E, M.D.B. & M. R.19E, M.D.B. & M. S. Question 7.
Describe as being within a 40-acre subdivision of public 10 bears South 69° 57' 56. The existing point of diversion is low the 26° 30' East a distribute of use. Sections 4.5,6.7.8 & 9. Sections 4.5,6.7.8 & 9. Sections 1.2,3,10,11.4.25,26,27, T.19N	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE' NE' Section 16, T.19N., R.19E. which the NE corner of said Section 16 hears. If point of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam). Ons 31. 32, and 33, T.20N, R.20E, M.D.B. & M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) T.19N, R. 20E, M.D.B. & M. R. 19E, M.D.B. & M. 12. 13. 14, 15, 16, 17, 20, 21, 22, 23. R.19E, M.D.B. & M. S. Question 7.
Describe as being within a 40-acre subdivision of public 10 bears South 69° 57' 56. The existing point of diversion is low the second of the existing point of diversion is low the second of the existing point of diversion is low the second of the second	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE NE Section 16, T.19N., R.19E. which the NE corner of said Section 16 hears. If point of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam). Ons 31. 32, and 33. T.20N., R.20E., M.D.B. & M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) T.19N., R. 20E., M.D.B. & M. R. 19E., M.D.B. & M. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23. R.19E., M.D.B. & M. S. Question 7.
Describe as being within a 40-acre subdivision of public 10 bears South 69° 57' 56. The existing point of diversion is low the Land of the existing point of diversion is low the Land of	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE' NE' Section 16, T.19N., R.19E. which the NE corner of said Section 16 hears. If point of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam). Ons 31. 32, and 33, T.20N, R.20E, M.D.B. & M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) T.19N, R. 20E, M.D.B. & M. R. 19E, M.D.B. & M. 12. 13. 14, 15, 16, 17, 20, 21, 22, 23. R.19E, M.D.B. & M. S. Question 7.
Describe as being within a 40-acre subdivision of public 10 bears South 69° 57' 56. The existing point of diversion is low the 26° 30' East a distribute of use. Sections 4.5,6.7.8 & 9. Sections 4.5,6.7.8 & 9. Sections 1.2,3,10,11.4.25,26,27, T.19N	lic survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) 58" East 842.34 feet (Idlewild Pump Station) ocated within the SE NE Section 16, T.19N., R.19E. which the NE corner of said Section 16 hears from of diversion is not changed, do not answer.) tance of 1702 feet (Reno Power Dam). Ons 31, 32, and 33 t.20N., R.20E., M.D.B., & M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) T.19N., R.20E., M.D.B., & M. R.19E., M.D.B., & M. 12, 13, 14, 15, 16, 17, 20, 21, 22, 23. R.19E., M.D.B., & M. S. Question 7. Describe by legal subdivisions. If presently used for irrigation, state number of acres irrigated.)

11. Description of proposed works.	w
	the Truckee River to the treatment plant nea
(Under the provisions of NRS 535.010 you may	y be required to submit plans and specifications of your diversion or storage works.) to the distribution system serving the Reno-
(State manner in which water is to be diverted, whe	ether by dam or other works, whether through pipes, ditches, flumes, or other conduits.)
Sparks metropolitan area.	
12. Estimated cost of works \$150,00	
13. Estimated time required to construct v	works work is completed.
14. Remarks	
	The second secon
Compared jw/dh hs/jw	Applicant Sierra Pacific Power Company
	By s/R.S.Leighton
	R. S. Leighton, Director, Land & Land Rights
3 DDD0	
APPROV	AL OF STATE ENGINEER
This is to certify that I have examined	the foregoing application, and do hereby grant the same, subject to the
following limitations and conditions:	
This permit to change the	he point of diversion of the waters of the
Truckee River as heretofore	granted under Claim 567, (Certificate 5603,
_1	
	r Final Decree is issued subject to the term and Permit 20251
and conditions imposed in s	aid decree/and with the understanding that
no other rights on the sour	ce will be affected by the change proposed
herein.	
and the second s	
i de la compania de l La compania de la co	
	and the contract of the contra
The amount of water to be changed shall b	be limited to the amount which can be applied to beneficial use, and not
to exceed. 0.25	cubic feet per second. but not to exceed
63.0 acre-feet annually.	
: -	Pefore November 4, 1967
the second of the second secon	ed before December 4, 1967
	the terms of the transfer of the contract of t
Work must be prosecuted with reasonable di	iligence and be completed on or before November 4, 1968
Proof of completion of work shall be filed bef	fore December 4, 1968
Application of water to beneficial use shall be	e made on or before November 4, 1969
Proof of the application of water to beneficia	al use shall be filed on or before December 4, 1969
Map in support of proof of beneficial use sha	all be filed on or before
Commencement of work filed 271 49 17/16	
Completion of work filed	State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed DEC 12, 1969. Cultural map filed.	my office, this 4th day of May
Cultural map filed Certificate No. 7384 Issued 4-7-70 Recorded 4-75-70 Bk. 456 Page 84	So and I were an
2407 Hashe	Assistant State Engineer
A Company of the Comp	·····································
Abrogated By (Id. 27 N. 25	•